

+

Machine Learning and Data Mining

VC Dimension


Prof. Alexander Ihler



Slides based on Andrew Moore's


Learners and Complexity

- We've seen many versions of underfit/overfit trade-off
 - Complexity of the learner
 - “Representational Power”
- Different learners have different power




Learners and Complexity

- We've seen many versions of underfit/overfit trade-off
 - Complexity of the learner
 - “Representational Power”
- Different learners have different power



Learners and Complexity

- We've seen many versions of underfit/overfit trade-off
 - Complexity of the learner
 - “Representational Power”
- Different learners have different power



Learners and Complexity

- We've seen many versions of underfit/overfit trade-off
 - Complexity of the learner
 - “Representational Power”
- Different learners have different power
- Usual trade-off:
 - More power = represent more complex systems, might overfit
 - Less power = won't overfit, but may not find “best” learner
- How can we quantify representational power?
 - Not easily...
 - One solution is VC (Vapnik-Chervonenkis) dimension

Some notation

- Let's assume our training data are iid from some distribution $p(x,y)$
- Define “risk” and “empirical risk”
 - These are just “long term” test and observed training error

$$R(\theta) = \text{TestError} = \mathbb{E}[\delta(c \neq \hat{c}(x; \theta))]$$

$$R^{\text{emp}}(\theta) = \text{TrainError} = \frac{1}{m} \sum_i \delta(c^{(i)} \neq \hat{c}(x^{(i)}; \theta))$$

- How are these related? Depends on overfitting...
 - Underfitting domain: pretty similar...
 - Overfitting domain: test error might be lots worse!

VC Dimension and Risk

- Given some classifier, let H be its VC dimension
 - Represents “representational power” of classifier

$$R(\theta) = \text{TestError} = \mathbb{E}[\delta(c \neq \hat{c}(x; \theta))]$$


$$R^{\text{emp}}(\theta) = \text{TrainError} = \frac{1}{m} \sum_i \delta(c^{(i)} \neq \hat{c}(x^{(i)}; \theta))$$

- With “high probability” $(1-\eta)$, Vapnik showed

$$\text{TestError} \leq \text{TrainError} + \sqrt{\frac{H \log(2m/H) + H - \log(\eta/4)}{m}}$$


Shattering

- We say a classifier $f(x)$ can shatter points $x^{(1)} \dots x^{(h)}$ iff
For *all* $y^{(1)} \dots y^{(h)}$, $f(x)$ can achieve zero error on
training data $(x^{(1)}, y^{(1)})$, $(x^{(2)}, y^{(2)})$, ... $(x^{(h)}, y^{(h)})$
(i.e., there exists some θ that gets zero error)
- Can $f(x; \theta) = \text{sign}(\theta_0 + \theta_1 x_1 + \theta_2 x_2)$ shatter these points?




Shattering

- We say a classifier $f(x)$ can shatter points $x^{(1)} \dots x^{(h)}$ iff
For *all* $y^{(1)} \dots y^{(h)}$, $f(x)$ can achieve zero error on
training data $(x^{(1)}, y^{(1)})$, $(x^{(2)}, y^{(2)})$, ... $(x^{(h)}, y^{(h)})$
(i.e., there exists some θ that gets zero error)
- Can $f(x; \theta) = \text{sign}(\theta_0 + \theta_1 x_1 + \theta_2 x_2)$ shatter these points?
- Yes: there are 4 possible training sets...




Shattering

- We say a classifier $f(x)$ can shatter points $x^{(1)} \dots x^{(h)}$ iff For *all* $y^{(1)} \dots y^{(h)}$, $f(x)$ can achieve zero error on training data $(x^{(1)}, y^{(1)})$, $(x^{(2)}, y^{(2)})$, ... $(x^{(h)}, y^{(h)})$ (i.e., there exists some θ that gets zero error)
- Can $f(x; \theta) = \text{sign}(x_1^2 + x_2^2 - \theta)$ shatter these points?



Shattering

- We say a classifier $f(x)$ can shatter points $x^{(1)} \dots x^{(h)}$ iff For *all* $y^{(1)} \dots y^{(h)}$, $f(x)$ can achieve zero error on training data $(x^{(1)}, y^{(1)})$, $(x^{(2)}, y^{(2)})$, ... $(x^{(h)}, y^{(h)})$ (i.e., there exists some θ that gets zero error)
- Can $f(x; \theta) = \text{sign}(x_1^2 + x_2^2 - \theta)$ shatter these points?
- Nope!



(c) Alexander Ihler

VC Dimension

- The VC dimension H is defined as
The maximum number of points h that *can be arranged* so that $f(x)$ can shatter them
- A game:
 - Fix the definition of $f(x;\theta)$
 - Player 1: choose locations $x^{(1)} \dots x^{(h)}$
 - Player 2: choose target labels $y^{(1)} \dots y^{(h)}$
 - Player 1: choose value of θ
 - If $f(x;\theta)$ can reproduce the target labels, P1 wins


$$\exists \{x^{(1)} \dots x^{(h)}\} \text{ s.t. } \forall \{y^{(1)} \dots y^{(h)}\} \exists \theta \text{ s.t. } \forall i \ f(x^{(i)}; \theta) = y^{(i)}$$

VC Dimension

- The VC dimension H is defined as
The maximum number of points h that *can be arranged* so that $f(x)$ can shatter them
- Example: what's the VC dimension of the (zero-centered) circle, $f(x;\theta) = \text{sign}(x_1^2 + x_2^2 - \theta)$?

VC Dimension

- The VC dimension H is defined as
The maximum number of points h that *can be arranged* so that $f(x)$ can shatter them
- Example: what's the VC dimension of the (zero-centered) circle, $f(x; \theta) = \text{sign}(x_1^2 + x_2^2 - \theta)$?
- VCdim = 1 : can arrange one point, cannot arrange two (previous example was general)




VC Dimension

- Example: what's the VC dimension of the two-dimensional line, $f(\mathbf{x}; \theta) = \text{sign}(\theta_1 x_1 + \theta_2 x_2 + \theta_0)$?

VC Dimension


- Example: what's the VC dimension of the two-dimensional line, $f(\mathbf{x}; \theta) = \text{sign}(\theta_1 x_1 + \theta_2 x_2 + \theta_0)$?
- VC dim ≥ 3 ? Yes




VC Dimension

- Example: what's the VC dimension of the two-dimensional line, $f(x;\theta) = \text{sign}(\theta_1 x_1 + \theta_2 x_2 + \theta_0)$?

- VC dim ≥ 3 ? Yes




- VC dim ≥ 4 ?




VC Dimension

- Example: what's the VC dimension of the two-dimensional line, $f(x;\theta) = \text{sign}(\theta_1 x_1 + \theta_2 x_2 + \theta_0)$?
- VC dim ≥ 3 ? Yes




- VC dim ≥ 4 ? No...
Any line through these points must split one pair (by crossing one of the lines)




VC Dimension

- Example: what's the VC dimension of the two-dimensional line, $f(x;\theta) = \text{sign}(\theta_1 x_1 + \theta_2 x_2 + \theta_0)$?
- VC dim ≥ 3 ? Yes



**Turns out:
For a general, linear
classifier (perceptron)
in d dimensions with a
constant term:**

- VC dim ≥ 4 ? No...
Any line through these points
must split one pair (by crossing
one of the lines)



VC dim = $d+1$

VC dimension

- VC dimension measures the “power” of the learner
- Does *not* necessarily equal the # of parameters!
- Number of parameters does not necessarily equal complexity
 - Can define a classifier with a lot of parameters but not much power (how?)
 - Can define a classifier with one parameter but lots of power (how?)
- Lots of work to determine what the VC dimension of various learners is...


Using VC dimension

- Used validation / cross-validation to select complexity



Using VC dimension

- Used validation / cross-validation to select complexity
- Use VC dimension based bound on test error similarly
- “Structural Risk Minimization” (SRM)



Using VC dimension

- Used validation / cross-validation to select complexity
- Use VC dimension based bound on test error similarly
- Other Alternatives
 - Probabilistic models: likelihood under model (rather than classification error)
 - AIC (Aikike Information Criterion)
 - Log-likelihood of training data - # of parameters
 - BIC (Bayesian Information Criterion)
 - Log-likelihood of training data - $(\# \text{ of parameters}) \cdot \log(m)$
- Similar to VC dimension: performance + penalty
- BIC conservative; SRM very conservative
- Also, “true Bayesian” methods (take prob. learning...)